


# SWS-200



- Intel Core i7-6700TE, 8GB


## ▶ \*\*Solution Diagram\*\*



## ▶ Specifications

### Device

Product Type	Standalone Workstation
--------------	------------------------



Maximum Resolution	Support all ACTi cameras in all resolutions
Maximum Number of Video Devices	200
Pre-installed Application	NVR Workstation CMS Workstation

**Hardware**

CPU	Intel Core i7-6700TE
RAM	8GB

**License**

License required	No
------------------	----

**Live View**

Maximum display layout	64
Digital Zoom	Yes
Event Status	Display event status upon alarm or upon connection loss or recovery between server and client or when the allocated disk space is full
Instant Playback	Instant Playback in live view window

**Map**

e-Map	Yes
-------	-----

**PTZ**

PTZ Control	PTZ Control, Speed Control, 32 preset points
-------------	--

**Video**

Compression	H.265, H.264, MPEG-4, MJPEG
-------------	-----------------------------

**Audio**

Audio Type	2-way, Mic-in, Line-out
------------	-------------------------

**Network**

Ethernet Port	Total ports: 2 port(s) Non-PoE: 2 port(s), Ethernet (1000 Base-T), RJ-45 connector
---------------	--

**Recording**

Manual Recording	Yes
------------------	-----

**Search & Playback**

Playback Control	Continuous forward and backward playback with speeds 1x/2x/4x/8x/16x or frame-by-frame, pause, stop
Synchronized Playback	64 channels

**System**

Operating System	Windows 7 SP1, Windows 10 IoT (Optional)
Server Operating System	Windows 10 IoT
USB	6-Port USB 3.0
Language	English, Traditional Chinese



**Integration**

Unified Solution	Fully compatible with ACTi cameras, encoders, central management system, TV wall and intelligent video surveillance software
ONVIF Compliant	Yes, (ONVIF Compliant cameras with NVR3, GNR-3000, INR Series and ENR Series NVR servers)

**Storage**

System Drive	M.2 SSD, 256GB
Storage Bay	SATA, Max. 1 Disk(s) (without storage disks)
HDD Size	3.5"

**Interface**

Serial Port	2 x RS-232
External Storage Interface	eSATA, iSCSI, USB
Expansion Slots Available	1 x PCIe 3.0 (x16)
Local Access	USB keyboard & mouse
Local Display Interface	HDMI x 1, DVI x 1, Display Port x 1,

**General**


Power Source	AC 100-240V
Power Supply	250W
Weight	3279g (7.229lb)
Dimensions	(W x H x D): 255mm x 88mm x 230mm (10" x 3.5" x 9.1")
Bundled Accessories	Power cord
Fan	Yes
Operating Temperature	0°C ~ 40°C (32°F ~ 104°F)
Operating Humidity	10% - 85% RH
Approvals	CE, FCC, UL (for built-in power adapter)
Warranty	3 Year(s). For extended warranty offering, see <a href="http://www.acti.com/support/warranty">http://www.acti.com/support/warranty</a>

## ▶ Photo Indication



- 1 Power Button
- 2 USB 3.0 Ports
- 3 Display Port
- 4 Ethernet Port
- 5 Serial Port
- 6 Audio Line-out
- 7 HDMI Port
- 8 USB 3.0 Ports
- 9 DVI Port
- 10 Audio Mic-in
- 11 SATA Port

## ▶ Dimension Diagram



Unit: mm [inch]

## ▶ Related Products

### Network & Storage Peripherals - Hard Disk

PHDD-4E16



M.2 256G System drive with Windows 10 and Workstation for SWS-200

### Other Accessories - Accessory Part

R718-B0002



Windows 10 LTSC 2019 License